



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Atty. Docket: HORI=2

In re Application of:)	Confirmation No.: 7497
)	
Takuya HORI)	Art Unit: 3765
)	
Appln. No.: 10/706,973)	Examiner:
)	
Filed: November 14, 2003)	Washington, D.C.
)	
For: SEWING METHOD TO FORM A)	March 3, 2004
TRIM COVER ASSEMBLY AND...)	
)	

INFORMATION DISCLOSURE STATEMENT [IDS]

Customer Window
Honorable Commissioner for Patents
U.S. Patent and Trademark Office
2011 South Clark Place
Crystal Plaza Two, Lobby, Room 1B03
Arlington, Virginia 22202

Sir :

This Information Disclosure Statement is submitted in accordance with 37 CFR §§1.97, 1.98, and it is requested that the information set forth in this statement and in the listed documents be considered during the pendency of the above-identified application, and any other application relying on the filing date of the above-identified application or cross-referencing it as a related application.

1. This IDS should be considered, in accordance with 37 CFR §1.97, as it is filed before the mailing date of a first Office action on the merits or before the mailing of a first Office action after the filing of a Request for Continued Examination under 37 C.F.R. §1.114.

2. In accordance with 37 CFR \$1.98, this IDS includes a list (e.g., Form PTO/SB/08A) of all patents, publications, or other information submitted for consideration by the office, either incorporated into this IDS or as an attachment hereto. A copy of each document listed is attached.

3. Document AA is not in the English language. In accordance with \$1.98(c), Applicant states:

[X] An English translation of each document AA (or of the pertinent portions thereof), or a copy of each corresponding English-language patent or application, or English-language abstract (or claim) is enclosed.

[X] A concise explanation of the relevance of document AA is set forth as follows:

The purpose of this prior art is to avoid irregularity and slack portion in a seam or sewn line in a cover for vehicle interior article. First and second cover material (21)(22) are sewn together by a thread (23) at their respective end portions along a sewn line (25), in such a manner that the seam allowance portion (21a) of the first cover material (21) is retained in the state of projecting horizontally, while the seam allowance portion (22a) of the second cover material (22) is bent and sewn by a thread (24) with the inward side of the second cover material (22), as shown in Fig.3 to 4. The thus-formed sewn cover assembly is shown in Fig. 5. As shown in Fig. 2, a padding material (21) is provided, which has a first groove region (11a) formed in correspondence with such horizontally projected seam allowance portion (21a) of first cover material (21) and a second groove region (11b) formed in correspondence with the bent and sewn seam allowance portion (22a) of second cover material. Then, the sewn cover assembly

is attached on the padding material (21) by fitting the two seam allowance portions (22a) (22b) in and along the respective first and second groove regions (11a) (11b). Hence, there is no irregularity and slack portion in the sewn line (25).

4. In accordance with 37 CFR §§1.97(g) and (h), the filing of this IDS should not be construed as a representation that a search has been made or that information cited is, or is considered to be, material to patentability as defined in §1.56 (b), or that any cited document listed or attached is (or constitutes) prior art. Unless otherwise indicated, the date of publication indicated for an item is taken from the face of the item and Applicant(s) reserves the right to prove that the date of publication is in fact different.

Respectfully submitted,

BROWDY AND NEIMARK
Attorneys for Applicant(s)

By: 

Jay M. Finkelstein
Reg. No. 21,082

JF:msp
624 Ninth Street, N.W., Suite 300
Washington, D.C. 20001-5303
Telephone: (202) 628-5197
Facsimile: (202) 737-3528
G:\BN\P\pate\Hori2\pto\IDS2004.doc



PTO/SB/08a (08-03)

Approved for use through 07/31/2006. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449A/PTO

**INFORMATION DISCLOSURE
STATEMENT BY APPLICANT**

(use as many sheets as necessary)

Complete if Known

Application Number	10/706,973
Filing Date	November 14, 2003
First Named Inventor	Takuya HORI
Group Art Unit	3765
Confirmation Number	7497
Attorney Docket Number	HORI=2

Sheet 1 of 1

U.S. PATENT DOCUMENTS

Examiner Initials*	Cite No. ¹	Document Number Number-Kind Code ² (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
		US-			
		US-			
		US-			
		US-			
		US-			
		US-			
		US-			
		US-			
		US-			
		US-			
		US-			
		US-			
		US-			
		US-			
		US-			
		US-			
		US-			
		US-			
		US-			
		US-			
		US-			

FOREIGN PATENT DOCUMENTS

Examiner Initials*	Cite No. ¹	Foreign Patent Number Country Code ³ Number ⁴ Kind Code ⁵ (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	T ⁶
	AA	JP 2002-079852 A	03-19-2002	ARACO CORP		ABS

Examiner
SignatureDate
Considered

* EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. ¹ Applicant's unique citation designation number (optional). ² See Kind Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. ³ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. ⁶ Applicant is to place a check mark here if English language Translation is attached.